Contents Volume 80, 1990

Introduction
D.-D. Rousseau (Dijon, France) 1
Biogeography of the Pleistocene pleniglacial malacofaunas in Europe. Stratigraphic and climatic implications
D.-D. Rousseau (Dijon, France), J. J. Puisségur (Dijon, France) and J. P. Lautridou (Caen, France) 7
Significance of the record provided by Pleistocene fluvial deposits and their included molluscan faunas for palaeo-environmental reconstruction and stratigraphy: case studies from the English Midlands
D. H. Keen (Coventry, U.K.) 25
Pollen analysis of a long upper Pleistocene continental sequence in a Velay maar (Massif Central, France)
M. Reille (Marseille, France) and J. L. de Beaulieu (Marseille, France) 35
Methodology of the last climatic cycle reconstruction in France from pollen data
J. Guiot (Marseille, France) 49
Validity of the radiocarbon dates beyond 35,000 years B.P.
J. Evin (Lyon, France) 71
Ecologie des pseudobiohermes des Terres Noires jurassiques liés à des paléo-sources sous-marines. Le site oxfordien de Beauvoisin (Drôme, Bassin du Sud-est, France). [Ecology of Jurassic Black Shales pseudobioherms related to paleo-submarine springs. The Oxfordian site of Beauvoisin (Drôme, southeastern basin, SE France]
Y. Rolin (Lyon, France), C. Gaillard (Lyon, France) and M. Roux (Reims, France) 79
Ice age vegetation and climate of subtropical Chile
C. J. Heusser (New York, NY, U.S.A.) 107
Late Quaternary vegetation history of Wilcox Pass, Jasper National Park, Alberta
A. B. Beaudoin (Edmonton, Alta., Canada) and R. H. King (London, Ont., Canada) 129
Dorvilleids and arabellids (Annelida) as indicators of dysaerobic events in well-laminated non-bioturbated deposits of the French Mesozoic.
B. Courtinat and P. Howlett (Villeurbanne, France) 145
Evolution of the Central Tertiary basin of Spitsbergen: towards a synthesis of sediment and plate tectonic history
R. D. Müller (Austin, TX, U.S.A.) and R. F. Spielhagen (Kiel, F.R.G.) 153
Callovian (Middle Jurassic) marine microplankton from southwestern Germany: Biostratigraphy and paleoenvironmental interpretations
A. Dinter (Wien, Austria) and M. Smelror (Trondheim, Norway) 173
The Barremian–Aptian arid phase in western Europe
A. H. Ruffell (London, UK) and D. J. Batten (Aberystwyth, UK) 197
Benthic ostracods and deep water-masses in the Atlantic Ocean
R. V. Dingle (Cape Town, South Africa) and A. R. Lord (London, UK) 213
Oxygen and carbon isotopic records of mollusks in the Kuokang Shell Bed, Taiwan: implications and applications
Chung-Ho Wang and Tsung-Ren Peng (Taipei, ROC) 237
Palaeozoic oolitic ironstones on the North American Craton
F. B. Van Houten (Princeton, NJ, USA) 245
Paleomagnetic evidence for the evolution of Meso- to Neo-Proterozoic glaciogenic rocks in central-eastern Brazil
M. S. D'Agrella-Filho, I. G. Pacca, W. Teixeira (São Paulo, Brazil), T. C. Onstott and P. R. Renne (Princeton, NJ, USA) ... 255
Neogene paleoceanographic events recorded in an active-margin setting: Humboldt basin, California
P. A. McCrory (Stanford, CA, USA) 267
Late Quaternary pollen records from two Ugandan mires: evidence for environmental change in the Rukiga Highlands of southwest Uganda
D. M. Taylor (Humberside, UK) 283
Trace fossils as paleoenvironmental indicators in the Taylor Group (Devonian) of Antarctica
K. J. Woolfe (Wellington, New Zealand) 301
Late Eocene–Early Oligocene integrated isotope stratigraphy and biostratigraphy for paleoshelf sequences in Southern Australia
P. J. J. Kamp (Hamilton, New Zealand), D. B. Waghorn (Nelson, New Zealand) and C. S. Nelson (Hamilton, New Zealand) 311
A Late Pleistocene and Holocene vegetation and environmental record from Lake Wangoom, Western Plains of Victoria, Australia: paleoceanographic implications
P. A Edney, A. P. Kershaw and P. De Deckker (Clayton, Vic., Australia) 325
Comments on "Substrate control of Lower Cambrian trace fossils from Bornholm, Denmark"
D. Fillion and R. K. Pickerill (Fredericton, N.B., Canada) 345